ELSEVIER

Molecular Brain Research 76 (2000) 436–438

MOLECULAR BRAIN RESEARCH

Author Index

Allen, G.W., Liu, J.-W. and De León, M.
Depletion of a fatty acid-binding protein impairs neurite outgrowth in PC12 cells (76) 315
Almendral, J.-M., see Frechilla, D. (76) 306
Altschuler, R.A., see Stöver, T. (76) 25
Ardenghi, P., see Cammarota, M. (76) 36
Aunis, D., see Tasiemski, A. (76) 237

Baethmann, A., see Winkler, A.S. (76) 419
Bansinath, M., see Trapaidze, N. (76) 220
Beck, M., see Bigl, M. (76) 411
Bell-Horner, C.L., Dibas, M., Huang, R.-Q., Drewe, J.A. and Dillon, G.H.
Influence of subunit configuration on the interaction of picrotoxin-site ligands with recombinant $GABA_A$ receptors (76) 47
Benboudjema, L., see Dandoy-Dron, F. (76) 173
Berman, S.A., see Bursztajn, S. (76) 363
Bethea, C.L., see Gundlah, C. (76) 191
Bevilaqua, L.R.M., see Cammarota, M. (76) 36
Bezin, L., Marcel, D., Desgeorges, S., Pujol, J.-F. and Weissmann, D.
Singular subsets of locus coeruleus neurons may recover tyrosine hydroxylase phenotype transiently expressed during development (76) 275
Bigl, M., Beck, M., Bleyl, A.D., Bigl, V. and Eschrich, K.
Altered phosphofructokinase mRNA levels but unchanged isoenzyme pattern in brains from patients with Alzheimer's disease (76) 411
Bigl, V., see Bigl, M. (76) 411
Bleyl, A.D., see Bigl, M. (76) 411
Blitzer, R.D., Wong, T., Giovannini, M.G., Pangalos, M.N., Robakis, N.K. and Landau, E.M.
Amyloid β peptides activate the phosphoinositide signaling pathway in oocytes expressing rat brain RNA (76) 115
Brené, S., see Werme, M. (76) 18
Brentani, R.R., see Graner, E. (76) 85
Britto, L.R.G., see Pires, R.S. (76) 341
Broome, B.M., see Hegde, A.N. (76) 424
Brown, I.R., see Mothe, A.J. (76) 73
Burghaus, L., Schütz, U., Krempel, U., De Vos, R.A.I., Jansen Steur, E.N.H., Wevers, A., Lindstrom, J. and Schröder, H.
Quantitative assessment of nicotinic acetylcholine receptor proteins in the cerebral cortex of Alzheimer patients (76) 385
Bursztajn, S., Feng, J.-J., Berman, S.A. and Nanda, A.
Poly (ADP-ribose) polymerase induction is an early signal of apoptosis in human neuroblastoma (76) 363

Cabral, A.L.B., see Graner, E. (76) 85
Cadet, M., see Tasiemski, A. (76) 237
Cammarota, M., Bevilaqua, L.R.M., Ardenghi, P., Paratcha, G., Levi de Stein, M., Izquierdo, I. and Medina, J.H.
Learning-associated activation of nuclear MAPK, CREB and Elk-1, along with Fos production, in the rat hippocampus after a one-trial avoidance learning: abolition by NMDA receptor blockade (76) 36
Castelo, V.T., see Holsinger, R.M.D. (76) 347
Chaturvedi, K., Shahrestanifar, M. and Howells, R.D.
μ Opioid receptor: role for the amino terminus as a determinant of ligand binding affinity (76) 64
Che, Y.H., Tamatani, M. and Tohyama, M.
Changes in mRNA for post-synaptic density-95 (PSD-95) and carboxy-terminal PDZ ligand of neuronal nitric oxide synthase following facial nerve transection (76) 325
Chen, H.-C., Seybold, V.S. and Loh, H.H.
An autoradiographic study in μ-opioid receptor knockout mice (76) 170
Cho, Y., see Stöver, T. (76) 25
Cooper, N.G.F., see Laabich, A. (76) 253
Curthoys, N.P., see Holcomb, T. (76) 56
Cvejic, S., see Trapaidze, N. (76) 220

Dandoy-Dron, F., Benboudjema, L., Guillo, F., Jaegly, A., Jasmin, C., Dormont, D., Tovey, M.G. and Dron, M.
Enhanced levels of scrapie responsive gene mRNA in BSE-infected mouse brain (76) 173
Date, Y., Mondal, M.S., Matsukura, S., Ueta, Y., Yamashita, H., Kaiya, H., Kangawa, K. and Nakazato, M.
Distribution of orexin/hypocretin in the rat median eminence and pituitary (76) 1
De León, M., see Allen, G.W. (76) 315
Deloffre, L., see Salzet, M. (76) 161
Del Río, J., see Frechilla, D. (76) 306
DeMarchi, M., see Piccinini, M. (76) 103
Desgeorges, S., see Bezin, L. (76) 275
Devi, L.A., see Trapaidze, N. (76) 220
De Vos, R.A.I., see Burghaus, L. (76) 385
Dibas, M., see Bell-Horner, C.L. (76) 47
Dillon, G.H., see Bell-Horner, C.L. (76) 47
Dormont, D., see Dandoy-Dron, F. (76) 173
Drescher, D.G., see Drescher, M.J. (76) 289
Drescher, M.J., Khan, K.M., Hatfield, J.S., Shakir, A.H. and Drescher, D.G.
Immunohistochemical localization of adenylyl cyclase isoforms in the lateral wall of the rat cochlea (76) 289
Drewe, J.A., see Bell-Horner, C.L. (76) 47
Dron, M., see Dandoy-Dron, F. (76) 173
Duvoisin, R.M., see Pires, R.S. (76) 341

Ekinci, F.J., Linsley, M.-D. and Shea, T.B.
β-Amyloid-induced calcium influx induces apoptosis in culture by oxidative stress rather than tau phosphorylation (76) 389
Eraković, V., Župan, G., Varljen, J., Radošević, S. and Simonić, A.
Electroconvulsive shock in rats: changes in superoxide dismutase and glutathione peroxidase activity (76) 266
Eschrich, K., see Bigl, M. (76) 411

Fahnestock, M., see Holsinger, R.M.D. (76) 347
Feng, J.-J., see Bursztajn, S. (76) 363
Foo, H. and Helmstetter, F.J.
Expression of antinociception in response to a signal for shock is blocked after selective downregulation of μ-opioid receptors in the rostral ventromedial medulla (76) 282
Forlenza, O.V., see Graner, E. (76) 85
Frechilla, D., Insausti, R., Ruiz-Golvano, P., García-Osta, A., Rubio, M.-P., Almendral, J.-M. and Del Río, J.
Implanted BDNF-producing fibroblasts prevent neurotoxin-induced serotonergic denervation in the rat striatum (76) 306
Fujimiya, M., see Oyasu, M. (76) 151
Fung, M.-L., see Xia, Y. (76) 211

García-Osta, A., see Frechilla, D. (76) 306
Garyfallou, V.T., see Gundlah, C. (76) 191

ELSEVIER

Molecular Brain Research 76 (2000) 436–438

MOLECULAR BRAIN RESEARCH

Author Index

Allen, G.W., Liu, J.-W. and De León, M.
Depletion of a fatty acid-binding protein impairs neurite outgrowth in PC12 cells (76) 315
Almendral, J.-M., see Frechilla, D. (76) 306
Altschuler, R.A., see Stöver, T. (76) 25
Ardenghi, P., see Cammarota, M. (76) 36
Aunis, D., see Tasiemski, A. (76) 237

Baethmann, A., see Winkler, A.S. (76) 419
Bansinath, M., see Trapaidze, N. (76) 220
Beck, M., see Bigl, M. (76) 411
Bell-Horner, C.L., Dibas, M., Huang, R.-Q., Drewe, J.A. and Dillon, G.H.
Influence of subunit configuration on the interaction of picrotoxin-site ligands with recombinant $GABA_A$ receptors (76) 47
Benboudjema, L., see Dandoy-Dron, F. (76) 173
Berman, S.A., see Bursztajn, S. (76) 363
Bethea, C.L., see Gundlah, C. (76) 191
Bevilaqua, L.R.M., see Cammarota, M. (76) 36
Bezin, L., Marcel, D., Desgeorges, S., Pujol, J.-F. and Weissmann, D.
Singular subsets of locus coeruleus neurons may recover tyrosine hydroxylase phenotype transiently expressed during development (76) 275
Bigl, M., Beck, M., Bleyl, A.D., Bigl, V. and Eschrich, K.
Altered phosphofructokinase mRNA levels but unchanged isoenzyme pattern in brains from patients with Alzheimer's disease (76) 411
Bigl, V., see Bigl, M. (76) 411
Bleyl, A.D., see Bigl, M. (76) 411
Blitzer, R.D., Wong, T., Giovannini, M.G., Pangalos, M.N., Robakis, N.K. and Landau, E.M.
Amyloid β peptides activate the phosphoinositide signaling pathway in oocytes expressing rat brain RNA (76) 115
Brené, S., see Werme, M. (76) 18
Brentani, R.R., see Graner, E. (76) 85
Britto, L.R.G., see Pires, R.S. (76) 341
Broome, B.M., see Hegde, A.N. (76) 424
Brown, I.R., see Mothe, A.J. (76) 73
Burghaus, L., Schütz, U., Krempel, U., De Vos, R.A.I., Jansen Steur, E.N.H., Wevers, A., Lindstrom, J. and Schröder, H.
Quantitative assessment of nicotinic acetylcholine receptor proteins in the cerebral cortex of Alzheimer patients (76) 385
Bursztajn, S., Feng, J.-J., Berman, S.A. and Nanda, A.
Poly (ADP-ribose) polymerase induction is an early signal of apoptosis in human neuroblastoma (76) 363

Cabral, A.L.B., see Graner, E. (76) 85
Cadet, M., see Tasiemski, A. (76) 237
Cammarota, M., Bevilaqua, L.R.M., Ardenghi, P., Paratcha, G., Levi de Stein, M., Izquierdo, I. and Medina, J.H.
Learning-associated activation of nuclear MAPK, CREB and Elk-1, along with Fos production, in the rat hippocampus after a one-trial avoidance learning: abolition by NMDA receptor blockade (76) 36
Castelo, V.T., see Holsinger, R.M.D. (76) 347
Chaturvedi, K., Shahrestanifar, M. and Howells, R.D.
μ Opioid receptor: role for the amino terminus as a determinant of ligand binding affinity (76) 64
Che, Y.H., Tamatani, M. and Tohyama, M.
Changes in mRNA for post-synaptic density-95 (PSD-95) and carboxy-terminal PDZ ligand of neuronal nitric oxide synthase following facial nerve transection (76) 325
Chen, H.-C., Seybold, V.S. and Loh, H.H.
An autoradiographic study in μ-opioid receptor knockout mice (76) 170
Cho, Y., see Stöver, T. (76) 25
Cooper, N.G.F., see Laabich, A. (76) 253
Curthoys, N.P., see Holcomb, T. (76) 56
Cvejic, S., see Trapaidze, N. (76) 220

Dandoy-Dron, F., Benboudjema, L., Guillo, F., Jaegly, A., Jasmin, C., Dormont, D., Tovey, M.G. and Dron, M.
Enhanced levels of scrapie responsive gene mRNA in BSE-infected mouse brain (76) 173
Date, Y., Mondal, M.S., Matsukura, S., Ueta, Y., Yamashita, H., Kaiya, H., Kangawa, K. and Nakazato, M.
Distribution of orexin/hypocretin in the rat median eminence and pituitary (76) 1
De León, M., see Allen, G.W. (76) 315
Deloffre, L., see Salzet, M. (76) 161
Del Río, J., see Frechilla, D. (76) 306
DeMarchi, M., see Piccinini, M. (76) 103
Desgeorges, S., see Bezin, L. (76) 275
Devi, L.A., see Trapaidze, N. (76) 220
De Vos, R.A.I., see Burghaus, L. (76) 385
Dibas, M., see Bell-Horner, C.L. (76) 47
Dillon, G.H., see Bell-Horner, C.L. (76) 47
Dormont, D., see Dandoy-Dron, F. (76) 173
Drescher, D.G., see Drescher, M.J. (76) 289
Drescher, M.J., Khan, K.M., Hatfield, J.S., Shakir, A.H. and Drescher, D.G.
Immunohistochemical localization of adenylyl cyclase isoforms in the lateral wall of the rat cochlea (76) 289
Drewe, J.A., see Bell-Horner, C.L. (76) 47
Dron, M., see Dandoy-Dron, F. (76) 173
Duvoisin, R.M., see Pires, R.S. (76) 341

Ekinci, F.J., Linsley, M.-D. and Shea, T.B.
β-Amyloid-induced calcium influx induces apoptosis in culture by oxidative stress rather than tau phosphorylation (76) 389
Eraković, V., Župan, G., Varljen, J., Radošević, S. and Simonić, A.
Electroconvulsive shock in rats: changes in superoxide dismutase and glutathione peroxidase activity (76) 266
Eschrich, K., see Bigl, M. (76) 411

Fahnestock, M., see Holsinger, R.M.D. (76) 347
Feng, J.-J., see Bursztajn, S. (76) 363
Foo, H. and Helmstetter, F.J.
Expression of antinociception in response to a signal for shock is blocked after selective downregulation of μ-opioid receptors in the rostral ventromedial medulla (76) 282
Forlenza, O.V., see Graner, E. (76) 85
Frechilla, D., Insausti, R., Ruiz-Golvano, P., García-Osta, A., Rubio, M.-P., Almendral, J.-M. and Del Río, J.
Implanted BDNF-producing fibroblasts prevent neurotoxin-induced serotonergic denervation in the rat striatum (76) 306
Fujimiya, M., see Oyasu, M. (76) 151
Fung, M.-L., see Xia, Y. (76) 211

García-Osta, A., see Frechilla, D. (76) 306
Garyfallou, V.T., see Gundlah, C. (76) 191

Gaudreau, P., see Hersi, A.I. (76) 336
Giovannini, M.G., see Blitzer, R.D. (76) 115
Gomes, I., see Trapaidze, N. (76) 220
Gong, T.-W.L., see Stöver, T. (76) 25
Goumon, Y., see Tasiemski, A. (76) 237
Graner, E., Mercadante, A.F., Zanata, S.M., Forlenza, O.V., Cabral, A.L.B., Veiga, S.S., Juliano, M.A., Roesler, R., Walz, R., Minetti, A., Izquierdo, I., Martins, V.R. and Brentani, R.R.
Cellular prion protein binds laminin and mediates neuritogenesis (76) 85
Grant, P., see Veeranna, G.J. (76) 229
Guenther, E., see Jabs, R. (76) 205
Guenther, E., see H. Wheeler-Schilling, T. (76) 415
Guilarte, T.R., McGlothan, J.L. and Nihei, M.K.
Hippocampal expression of *N*-methyl-D-aspartate receptor (NMDAR1) subunit splice variant mRNA is altered by developmental exposure to Pb^{2+} (76) 299
Guillo, F., see Dandoy-Dron, F. (76) 173
Gundlah, C., Kohama, S.G., Mirkes, S.J., Garyfallou, V.T., Urbanski, H.F. and Bethea, C.L.
Distribution of estrogen receptor beta (ERβ) mRNA in hypothalamus, midbrain and temporal lobe of spayed macaque: continued expression with hormone replacement (76) 191

Haddad, G.G., see Xia, Y. (76) 211
Hampson, D.R., see Peltekova, V. (76) 180
Han, G., see Peltekova, V. (76) 180
Hatfield, J.S., see Drescher, M.J. (76) 289
Hausmann, A., Weis, C., Marksteiner, J., Hinterhuber, H. and Humpel, C.
Chronic repetitive transcranial magnetic stimulation enhances c-fos in the parietal cortex and hippocampus (76) 355
Heape, A.M., see Kursula, P. (76) 407
Hegde, A.N., Broome, B.M., Qiang, M. and Schwartz, J.H.
Structure and expression of the *Aplysia* polyubiquitin gene (76) 424
Helmstetter, F.J., see Foo, H. (76) 282
Henry, P., see Holsinger, R.M.D. (76) 347
Hersi, A.I., Kitaichi, K., Srivastava, L.K., Gaudreau, P. and Quirion, R.
Dopamine D-5 receptor modulates hippocampal acetylcholine release (76) 336
Hinterhuber, H., see Hausmann, A. (76) 355
Holcomb, T., Taylor, L., Trohkimoinen, J. and Curthoys, N.P.
Isolation, characterization and expression of a human brain mitochondrial glutaminase cDNA (76) 56
Holsinger, R.M.D., Schnarr, J., Henry, P., Castelo, V.T. and Fahnestock, M.
Quantitation of BDNF mRNA in human parietal cortex by competitive reverse transcription-polymerase chain reaction: decreased levels in Alzheimer's disease (76) 347
Honda, S., see López-Redondo, F. (76) 429
Howells, R.D., see Chaturvedi, K. (76) 64
Huang, R.-Q., see Bell-Horner, C.L. (76) 47
Huh, S.-O., see Won, J.-S. (76) 396
Humpel, C., see Hausmann, A. (76) 355
H. Wheeler-Schilling, T., Marquordt, K., Kohler, K., Jabs, R. and Guenther, E.
Expression of purinergic receptors in bipolar cells of the rat retina (76) 415

Insausti, R., see Frechilla, D. (76) 306
Izquierdo, I., see Cammarota, M. (76) 36
Izquierdo, I., see Graner, E. (76) 85

Jabs, R., Guenther, E., Marquordt, K. and Wheeler-Schilling, T.H.
Evidence for $P2X_3$, $P2X_4$, $P2X_5$ but not for $P2X_7$ containing purinergic receptors in Müller cells of the rat retina (76) 205
Jabs, R., see H. Wheeler-Schilling, T. (76) 415
Jaegly, A., see Dandoy-Dron, F. (76) 173
Jansen Steur, E.N.H., see Burghaus, L. (76) 385
Jasmin, C., see Dandoy-Dron, F. (76) 173
Juliano, M.A., see Graner, E. (76) 85

Kaiya, H., see Date, Y. (76) 1
Kangawa, K., see Date, Y. (76) 1
Kempski, O., see Winkler, A.S. (76) 419
Khan, K.M., see Drescher, M.J. (76) 289
Kikkawa, U., see Oyasu, M. (76) 151
Kim, Y.-H., see Won, J.-S. (76) 396
Kimelberg, H.K., see Zhou, M. (76) 121
Kitaichi, K., see Hersi, A.I. (76) 336
Koch, T., see Wrynn, A.S. (76) 7
Kohama, S.G., see Gundlah, C. (76) 191
Kohler, K., see H. Wheeler-Schilling, T. (76) 415
Köhling, R., see Musshoff, U. (76) 377
Kohsaka, S., see López-Redondo, F. (76) 429
Korf, J., see Wrynn, A.S. (76) 7
Kouzu, Y., Moriya, T., Takeshima, H., Yoshioka, T. and Shibata, S.
Mutant mice lacking ryanodine receptor type 3 exhibit deficits of contextual fear conditioning and activation of calcium/calmodulin-dependent protein kinase II in the hippocampus (76) 142
Krempel, U., see Burghaus, L. (76) 385
Kuroda, S., see Oyasu, M. (76) 151
Kursula, P., Lehto, V.-P. and Heape, A.M.
S100β inhibits the phosphorylation of the L-MAG cytoplasmic domain by PKA (76) 407

Laabich, A., Li, G. and Cooper, N.G.F.
Calcium/calmodulin-dependent protein kinase II containing a nuclear localizing signal is altered in retinal neurons exposed to *N*-methyl-D-aspartate (76) 253
Landau, E.M., see Blitzer, R.D. (76) 115
Lee, J.-K., see Won, J.-S. (76) 396
Lehto, V.-P., see Kursula, P. (76) 407
Leonard, B.E., see Wrynn, A.S. (76) 7
Levi de Stein, M., see Cammarota, M. (76) 36
Li, G., see Laabich, A. (76) 253
Lindstrom, J., see Burghaus, L. (76) 385
Linsley, M.-D., see Ekinci, F.J. (76) 389
Liu, I.S.C., see Seeman, P. (76) 132
Liu, J.-W., see Allen, G.W. (76) 315
Loh, H.H., see Chen, H.-C. (76) 170
Lomax, M.I., see Stöver, T. (76) 25
López-Redondo, F., Nakajima, K., Honda, S. and Kohsaka, S.
Glutamate transporter GLT-1 is highly expressed in activated microglia following facial nerve axotomy (76) 429

Marcel, D., see Bezin, L. (76) 275
Marksteiner, J., see Hausmann, A. (76) 355
Marquordt, K., see Jabs, R. (76) 205
Marquordt, K., see H. Wheeler-Schilling, T. (76) 415
Martins, V.R., see Graner, E. (76) 85
Matsukura, S., see Date, Y. (76) 1
McGlothan, J.L., see Guilarte, T.R. (76) 299
Medina, J.H., see Cammarota, M. (76) 36
Mercadante, A.F., see Graner, E. (76) 85
Metz-Boutigue, M.-H., see Tasiemski, A. (76) 237
Minami, M., see Nakamoto, H. (76) 93
Minetti, A., see Graner, E. (76) 85
Mirkes, S.J., see Gundlah, C. (76) 191
Mondal, M.S., see Date, Y. (76) 1
Moriya, T., see Kouzu, Y. (76) 142
Mostert, M., see Piccinini, M. (76) 103
Mothe, A.J. and Brown, I.R.
Selective transport of SC1 mRNA, encoding a putative extracellular matrix glycoprotein, during postnatal development of the rat cerebellum and retina (76) 73
Musshoff, U., Schünke, U., Köhling, R. and Speckmann, E.-J.
Alternative splicing of the NMDAR1 glutamate receptor subunit in human temporal lobe epilepsy (76) 377
Musso, A., see Piccinini, M. (76) 103

Nakajima, K., see López-Redondo, F. (76) 429
Nakamoto, H., Soeda, Y., Takami, S., Minami, M. and Satoh, M.
Localization of calcitonin receptor mRNA in the mouse brain: coexistence with serotonin transporter mRNA (76) 93
Nakashita, M., see Oyasu, M. (76) 151
Nakazato, M., see Date, Y. (76) 1
Nam, D., see Seeman, P. (76) 132
Nanda, A., see Bursztajn, S. (76) 363
Nihei, M.K., see Guilarte, T.R. (76) 299

Olson, L., see Werme, M. (76) 18
O'Reilly, J.P., see Xia, Y. (76) 211
Oyasu, M., Kuroda, S., Nakashita, M., Fujimiya, M., Kikkawa, U. and Saito, N.
Immunocytochemical localization of a neuron-specific thrombospondin-1-like protein, NELL2: light and electron microscopic studies in the rat brain (76) 151

Pangalos, M.N., see Blitzer, R.D. (76) 115
Pant, H.C., see Veeranna, G.J. (76) 229
Paratcha, G., see Cammarota, M. (76) 36
Peltekova, V., Han, G., Soleymanlou, N. and Hampson, D.R.
Constraints on proper folding of the amino terminal domains of group iii metabotropic glutamate receptors (76) 180

Peters, J., see Winkler, A.S. (76) 419
Piccinini, M., Tazartes, O., Mostert, M., Musso, A., DeMarchi, M. and Rinaudo, M.T.
Structural and functional characterization of 20S and 26S proteasomes from bovine brain (76) 103
Pires, R.S., Rebouças, N.A., Duvoisin, R.M. and Britto, L.R.G.
Retinal lesions induce differential changes in the expression of *flip* and *flop* isoforms of the glutamate receptor subunit GluR1 in the chick optic tectum (76) 341
Pujol, J.-F., see Bezin, L. (76) 275

Qiang, M., see Hegde, A.N. (76) 424
Quirion, R., see Hersi, A.I. (76) 336

Radošević, S., see Eraković, V. (76) 266
Rebouças, N.A., see Pires, R.S. (76) 341
Rinaudo, M.T., see Piccinini, M. (76) 103
Robakis, N.K., see Blitzer, R.D. (76) 115
Roesler, R., see Graner, E. (76) 85
Rubio, M.-P., see Frechilla, D. (76) 306
Ruiz-Golvano, P., see Frechilla, D. (76) 306

Saito, N., see Oyasu, M. (76) 151
Salzet, M. and Deloffre, L.
PLGamide characterization and role in osmoregulation in leech brain (76) 161
Salzet, M., see Tasiemski, A. (76) 237
Satoh, M., see Nakamoto, H. (76) 93
Schnarr, J., see Holsinger, R.M.D. (76) 347
Schools, G.P., see Zhou, M. (76) 121
Schröder, H., see Burghaus, L. (76) 385
Schünke, U., see Musshoff, U. (76) 377
Schütz, U., see Burghaus, L. (76) 385
Schwartz, J.H., see Hegde, A.N. (76) 424
Sebens, J.B., see Wrynn, A.S. (76) 7
Seeman, P., Nam, D., Ulpian, C., Liu, I.S.C. and Tallerico, T.
New dopamine receptor, $D2_{Longer}$, with unique TG splice site, in human brain (76) 132
Seybold, V.S., see Chen, H.-C. (76) 170
Shahrestanifar, M., see Chaturvedi, K. (76) 64
Shakir, A.H., see Drescher, M.J. (76) 289
Shea, T.B., see Ekinci, F.J. (76) 389
Shetty, K.T., see Veeranna, G.J. (76) 229
Shibata, S., see Kouzu, Y. (76) 142
Simonić, A., see Eraković, V. (76) 266
Soeda, Y., see Nakamoto, H. (76) 93
Soleymanlou, N., see Peltekova, V. (76) 180
Song, D.-K., see Won, J.-S. (76) 396
Speckmann, E.-J., see Musshoff, U. (76) 377
Srivastava, L.K., see Hersi, A.I. (76) 336
Staub, F., see Winkler, A.S. (76) 419
Stefano, G.B., see Tasiemski, A. (76) 237
Stöver, T., Gong, T.-W.L., Cho, Y., Altschuler, R.A. and Lomax, M.I.
Expression of the GDNF family members and their receptors in the mature rat cochlea (76) 25
Suh, H.-W., see Won, J.-S. (76) 396

Takahashi, M., see Veeranna, G.J. (76) 229
Takami, S., see Nakamoto, H. (76) 93
Takeshima, H., see Kouzu, Y. (76) 142
Tallerico, T., see Seeman, P. (76) 132
Tamatani, M., see Che, Y.H. (76) 325
Tasiemski, A., Verger-Bocquet, M., Cadet, M., Goumon, Y., Metz-Boutigue, M.-H., Aunis, D., Stefano, G.B. and Salzet, M.
Proenkephalin A-derived peptides in invertebrate innate immune processes (76) 237
Taylor, L., see Holcomb, T. (76) 56
Tazartes, O., see Piccinini, M. (76) 103
Tohyama, M., see Che, Y.H. (76) 325
Tovey, M.G., see Dandoy-Dron, F. (76) 173
Trapaidze, N., Gomes, I., Cvejic, S., Bansinath, M. and Devi, L.A.
Opioid receptor endocytosis and activation of MAP kinase pathway (76) 220
Trohkimoinen, J., see Holcomb, T. (76) 56

Ueta, Y., see Date, Y. (76) 1
Ulpian, C., see Seeman, P. (76) 132
Urbanski, H.F., see Gundlah, C. (76) 191

Varljen, J., see Eraković, V. (76) 266
Veeranna, G.J., Shetty, K.T., Takahashi, M., Grant, P. and Pant, H.C.
Cdk5 and MAPK are associated with complexes of cytoskeletal proteins in rat brain (76) 229
Veiga, S.S., see Graner, E. (76) 85
Verger-Bocquet, M., see Tasiemski, A. (76) 237

Walz, R., see Graner, E. (76) 85
Weis, C., see Hausmann, A. (76) 355
Weissmann, D., see Bezin, L. (76) 275
Werme, M., Olson, L. and Brené, S.
NGFI-B and Nor1 mRNAs are upregulated in brain reward pathways by drugs of abuse: different effects in Fischer and Lewis rats (76) 18
Wevers, A., see Burghaus, L. (76) 385
Wheeler-Schilling, T.H., see Jabs, R. (76) 205
Winkler, A.S., Baethmann, A., Peters, J., Kempski, O. and Staub, F.
Mechanisms of arachidonic acid induced glial swelling (76) 419
Won, J.-S., Kim, Y.-H., Song, D.-K., Huh, S.-O., Lee, J.-K. and Suh, H.-W.
Stimulation of astrocyte-enriched culture with arachidonic acid increases proenkephalin mRNA: involvement of proto-oncoprotein and mitogen activated protein kinases (76) 396
Wong, T., see Blitzer, R.D. (76) 115
Wrynn, A.S., Sebens, J.B., Koch, T., Leonard, B.E. and Korf, J.
Prolonged c-Jun expression in the basolateral amygdala following bulbectomy: possible implications for antidepressant activity and time of onset (76) 7

Xia, Y., Fung, M.-L., O'Reilly, J.P. and Haddad, G.G.
Increased neuronal excitability after long-term O_2 deprivation is mediated mainly by sodium channels (76) 211

Yamashita, H., see Date, Y. (76) 1
Yoshioka, T., see Kouzu, Y. (76) 142

Zanata, S.M., see Graner, E. (76) 85
Zhou, M., Schools, G.P. and Kimelberg, H.K.
GFAP mRNA positive glia acutely isolated from rat hippocampus predominantly show complex current patterns (76) 121
Župan, G., see Eraković, V. (76) 266